



## Windows 11 Pro Fully Rugged 2-in-1 Detachable Laptop & Tablet with 12.0" Outdoor Display

# TOUGHBOOK 33 mk3 Detachable

The TOUGHBOOK 33 2-in-1 Detachable Notebook is highly configurable, bringing unrivalled flexibility and performance for mobile business computing professionals. Thanks to the detachable keyboard design and 6 usage modes, the TOUGHBOOK 33 offers the best of all worlds for mobile workers. Target industries for the device include field service workers, maintenance and service technicians in utilities and telecommunications, as well as government agencies, defence, the police and other emergency services.

### Key Features

Intel® Core™ i5-1245U vPro™ Processor / 12 MB cache, 1.6 GHz up to 4.4 GHz with Intel® Turbo Boost Technology

Windows 11 Pro

12.0" Active Matrix (TFT) colour LCD 2160 x 1440 (QHD) LCD with sunlight-viewable glove-enabled capacitive touchscreen (up to 1.200cd/m<sup>2</sup>), IP55 Digitiser

Fully rugged design with Water and dust resistance (IP65)\*\*\*

Up to 10 hours battery life with standard twin batteries (MobileMark™ 2014) Up to 20 hours battery life with extended twin batteries (MobileMark™ 2014)



## TOUGHBOOK 33 mk3 Detachable

<https://ap.connect.panasonic.com/my/en/products/toughbook/toughbook-33-mk3-detachable>

|                                      |  |
|--------------------------------------|--|
| <b>Mobile Computing Platform</b>     | Intel® Core™ i5-1245 vPro™ Processor/ 12 MB cache, 1.6 GHz up to 4.4 GHz with Intel® Turbo Boost Technology  |
| <b>Operating System</b>              | Windows 11 Pro   |
| <b>RAM</b>                           | 16GB (max. 32GB) DDR4  |
| <b>Graphic Chip</b>                  | Intel® Iris® XE Graphics   |
| <b>Storage</b>                       | 512GB OPAL NVMe SSD (1TB optional) [with heater]   |
| <b>LCD</b>                           | 12.0" Active Matrix (TFT) colour LCD 2160 x 1440 (QHD) LCD with sunlight-viewable glove-enabled capacitive touchscreen (up to 1.200cd/m <sup>2</sup> ), IP55 Digitiser   |
| <b>Bluetooth™</b>                    | 5.1 + EDR Class 1  |
| <b>Wireless LAN</b>                  | Intel® Wi-Fi6 AX201  |
| <b>Mobile Broadband*</b>             | 4G LTE, supports 3G  |
| <b>GPS*</b>                          | U-Blox NEO-M8N   |
| <b>Sound</b>                         | WAVE and MIDI playback, Intel® High Definition Audio subsystem support   |
| <b>Security</b>                      | TPM (TCG V2.0 compliant) Password security (supervisor password, user password, hard disc lock) Integrated hardware security lock slot   |
| <b>Front Camera</b>                  | 2 MP with IR / privacy shutter (Windows Hello compliant)   |
| <b>SD/SDXC Memory Card</b>           | x1 (Keyboard)  |
| <b>Configuration port (Tablet)**</b> | Serial, 2D Barcode Reader, 2nd USB 2.0   |
| <b>USB 2.0</b>                       | x1 optional (Tablet)**x1 (Keyboard)  |
| <b>HDMI</b>                          | x1 (Tablet)x1 (Keyboard)   |
| <b>VGA</b>                           | x1 (Keyboard)  |
| <b>Native Serial Port</b>            | x1 optional (Tablet)** x1 (Keyboard)   |
| <b>Headset</b>                       | x1 (Tablet)x1 (Keyboard)   |
| <b>DC In</b>                         | x2 (Tablet + Keyboard)   |
| <b>Port Replicator</b>               | x1 (Keyboard)  |
| <b>Dual Antenna Connector</b>        | x1 (Keyboard)  |
| <b>Business Expansion Module**</b>   | Smart Card Reader, NFC, Fingerprint Reader   |
| <b>AC Adapter</b>                    | Input: 100 V - 240 V AC, 50 Hz/ 60 Hz, Output: 15.6 V DC, 4.06A  |
| <b>Battery</b>                       | Standard: x2 Li-Ion (3 cell, 22Whr)  |
|                                      | Extended: x2 Li-Ion (6 cell, 45 Whr) optional  |
| <b>Battery Life</b>                  | Standard: Approx. 10 hours (Mobile Mark™ 2014)   |
|                                      | Extended: Approx. 20 hours (Mobile Mark™ 2014)   |
| <b>Power Management</b>              | Hot swap, Standby function, ACPI BIOS  |
| <b>Dimensions (WxHxD)</b>            | Standard Battery: 313.0 mm x 288.4 mm x 46.1 mm / 12.3" x 11.4" x 1.8"   |
|                                      | Extended Battery: 313.0 mm x 288.4 mm x 56.6 mm / 12.3" x 11.4" x 2.2"   |
| <b>Weight</b>                        | Standard Battery: 2.78kg / 6.2lb   |
|                                      | Extended Battery: 3.14kg / 6.9lb   |
| <b>Drop Resistance</b>               | MIL-STD 810G, 150cm  |
| <b>Water Resistance</b>              | EC529 (JIS C0920) IPx5   |
| <b>Operating Temperature</b>         | MIL-STD 810G, -29 °C to 60 °C ***  |
| <b>Standard Configuration</b>        | CF-33mk3, 16GB RAM, 512GB SSD, 2x standard battery pack, IP55 digitiser pen  |
| <b>Dust Resistance</b>               | IEC529 (JIS C0920) IP6x  |
| <b>Included in the box</b>           | Power Supply, Power Cord, Display cleaning cloth and User Manual   |
| <b>Footnote</b>                      | * Optional   |
|                                      | ** One option exclusive possible in configuration port / business expansion module   |
|                                      | *** Tested by an independent third party lab following MIL-STD810H Method 516.8 Procedure IV for transit drop test and Method 501.7 and 502.7 Procedure II for operation temperature test. May differ depending on models and options. |
| <b>USB 3.1</b>                       | x3 (x1 Tablet, x2 Keyboard)  |
| <b>USB 3.1 type C PD</b>             | x1   |

---

|                    |                                      |
|--------------------|--------------------------------------|
| <b>Rear Camera</b> | 8mpixel with autofocus and LED flash |
| <b>LAN</b>         | x1 (Tablet) x1 (Keyboard)            |

---