



TOUGHBOOK 33 2-IN-1 Detachable, the 12.0" fully rugged notebook with hot swappable twin batteries, detachable keyboard with highly configurable capabilities

TOUGHBOOK 33 mk4 Detachable

TOUGHBOOK 33 TABLET, the 12.0" fully rugged device with hot-swappable twin batteries and highly configurable capabilities, brings unrivalled flexibility and performance for mobile business computing. Thanks to the optional detachable keyboard, the TOUGHBOOK 33 TABLET offers the best of all worlds for mobile workers. Target industries for the device include field service workers, maintenance and service technicians in utilities and telecommunications, as well as government agencies, defence, the police and other emergency

Key Features


Windows 11 Pro

Intel® Core™ i5-1345U vPro™ Processor (optional i7-1370P)

12.0" Active Matrix (TFT) colour LCD 2160 x 1440 (QHD) LCD with sunlight-viewable glove-enabled capacitive touchscreen (up to 1.200cd/m²), IP55 Digitiser

Fully rugged design with Water and dust resistance (IP65)***

Up to 10 hours battery life with standard twin batteries (MobileMark™ 2014) Up to 20 hours battery life with extended twin batteries (MobileMark™ 2014)





TOUGHBOOK 33 mk4 Detachable

<https://ap.connect.panasonic.com/sg/en/products/toughbook/toughbook-33-mk4-detachable>

| | |
|---|--|
| Model | CF-33mk4, 16GB RAM, 512GB SSD, 2x standard battery pack, IP55 digitiser pen |
| OS (Operating System) | Windows® 11 Pro |
| CPU (Mobile Computing Platform) -> Processor | Intel® Core™ i5-1345U vPro™ processor (optional i7-1370P) |
| CPU (Mobile Computing Platform) -> Graphics chips | Intel® Iris Xe Graphics (Built-in CPU) |
| Memory (RAM) (RAM Standard / Maximum) (Main memory) | 16GB (Option: 32GB) (LPDDR4x, 4266MT/s, Onboard) |
| Storage | SSD : 512GB / 1TB / 2TB |
| Display & Graphics | 12" WUXGA 1200 nit multi touch + digitizer display |
| Wireless | Cellular(WWAN): optional 4G and 5G, Wi-Fi: Wi-Fi 6E, Bluetooth: |
| I/O Ports (Interface) | USB-A: tablet (optional 2nd USB-A) / detachable x3, USB-Type C: Thunderbolt™ 4 USB-C (w/PD), SD Card Reader (Micro SD-XC): tablet / Optional MicroSDXC detachable / SDXC, HDMI, VGA: tablet - / detachable VGA, LAN, Serial: tablet Optional Serial (True) / detachable Serial (USB), Audio In/Out, SIM: Dual SIM (Nano-SIM & eSIM,) Docking connector |
| Camera -> Front | 2MP, 1920 x 1080 pixel (Still) / 1920 x 1080 pixel, 30fps (Video), Dual Microphone, with IR for Windows Hello |
| Camera -> Rear | 8MP, 3264 x 2448 pixel (Still) / 1920 x 1080 pixel, 30fps (Video), with LED flash |
| Audio (Sound) | Intel® High Definition Audio subsystem support, Stereo speaker |
| Security | TPM (TCG V2.0 compliant) |
| Pointing device -> Touchscreen (Touch panel) | Dual Touch (10 Finger touch (Capacitive) & Digitizer) |
| Sensors | Acceleration sensor, Digital compass, Gyro sensor, Ambient light sensor |
| Weight -> Main Unit + Keyboard | (6.2 lbs with optional Premium Keyboard) |
| Weight -> Main Unit | 3.4 lbs. |
| Battery -> Battery Life | 7.0 hours (15 hours with optional long life batteries) – MobileMark 25 |
| Power Consumption | Approx. 45 W* / Approx. 110W (maximum when recharging in the ON state) |
| Power (Power supply) -> AC adapter | Input: 100 V - 240 V AC, 50 Hz / 60 Hz, Output: 15.6 V DC, 7.05 A |
| Power (Power supply) -> Battery (Battery pack) | Battery pack(S), Li-ion 11.1V, 1,990 mAh x 2, Battery pack(L), Li-ion 10.8V, 4,120 mAh x 2 (Option) |
| Power (Power supply) -> Hot Swap | Yes |
| Durability -> Drop resistance | 120 cm {4.0 feet}** |
| Operating temperature | -10 °C to 50 °C {14 °F to 122 °F} (IEC60068-2-1, 2)*** |
| Storage temperature | -20 °C to 60 °C {-4 °F to 140 °F} |
| Warranty | 3-year limited warranty, parts and labor |
| Footnote Description | * Rated power consumption ** 26 sided/drop on plywood. *** Do not expose the skin to this product when using the product in a hot or cold environment. When using in hot or cold environment, some peripherals may fail to work properly. Check the operation environment of the peripherals. Using this product continuously in a hot environment will shorten the product life. Avoid use in these types of environments. When using in low temperature environment, startup may become slow or battery operation time may become short. The computer consumes power when the SSD is warming up during startup. Therefore, if you are using battery power and the remaining power is low, the computer may not start up. |