Panasonic CONNECT



TOUGHBOOK 33 2-IN-1 Detachable, the 12.0" fully rugged notebook with hot swappable twin batteries, detachable keyboard with highly configurable capabilities

TOUGHBOOK 33 mk4 Detachable

TOUGHBOOK 33 TABLET, the 12.0" fully rugged device with hot-swappable twin batteries and highly configurable capabilities, brings unrivalled flexibility and performance for mobile business computing. Thanks to the optional detachable keyboard, the TOUGHBOOK 33 TABLET offers the best of all worlds for mobile workers. Target industries for the device include field service workers, maintenance and service technicians in utilities and telecommunications, as well as government agencies. defence, the police and other emergency

Key Features

Windows 11 Pro

Intel® Core™ i5-1345U vPro™ Processor (optional i7-1370P)

12.0" Active Matrix (TFT) colour LCD 2160 x 1440 (QHD) LCD with sunlight-viewable glove-enabled capacitive touchscreen (up to $1.200 {\rm cd/m^2}$), IP55 Digitiser

Fully rugged design with Water and dust resistance (IP65)***

Up to 10 hours battery life with standard twin batteries (MobileMark™ 2014) Up to 20 hours battery life with extended twin batteries (MobileMark™ 2014)





Panasonic CONNECT



TOUGHBOOK 33 mk4 Detachable

https://ap.connect.panasonic.com/sg/en/products/toughbook/toughbook-33-mk4-detachable



Electromagnetic Compatibility (EMC) MIL-STD461F****





Model	CF-33mk4, 16GB RAM, 512GB SSD, 2x standard battery pack, IP55 digitiser pen
OS (Operating System)	Windows® 11 Pro
CPU (Mobile Computing Platform) -> Processor	Intel® Core™ i5-1345U vPro™ processor (optional i7-1370P)
CPU (Mobile Computing Platform) -> Graphics chips	Intel® Iris Xe Graphics (Built-in CPU)
Memory (RAM) (RAM Standard /	16GB (Option: 32GB) (LPDDR4x, 4266MT/s, Onboard)
Maximum) (Main memory) Storage	SSD:512GB/1TB /2TB
Display & Graphics	12" WUXGA 1200 nit multi touch + digitizer display
Wireless	Cellular(WWAN):optional 4G and 5G,Wi-Fi:Wi-Fi 6E,Bluetooth:
I/O Ports (Interface)	USB-A: tablet (optional 2nd USB-A) /detachable x3,USB-Type C: Thunderbolt™ 4 USB-C (w/PD),SD Card Reader(Micro SD-XC): tablet/Optional MicroSDXC detachable/ SDXC,HDMI,VGA: tablet -/ detachable VGA,LAN,Serial: tablet Optional Serial (True) /detachable Serial(USB),Audio In/Out,SIM:Dual SIM (Nano-SIM & eSIM,)Docking connector
Camera -> Front	2MP, 1920 x 1080 pixel(Still) / 1920 x 1080 pixel, 30fps(Video), Dual Microphone, with IR for Windows Hello
Camera -> Rear	8MP, 3264 x 2448 pixel(Still) / 1920 × 1080 pixel, 30fps(Video), with LED flash
Audio (Sound)	Intel® High Definition Audio subsystem support, Stereo speaker
Security	TPM (TCG V2.0 compliant)
Pointing device -> Touchscreen (Toucl panel)	h Dual Touch (10 Finger touch(Capacitive) & Digitizer)
Sensors	Acceleration sensor, Digital compass,Gyro sensor, Ambient light sensor
Weight -> Main Unit + Keyboard	(6.2 lbs with optional Premium Keyboard)
Weight -> Main Unit	3.4 lbs.
Battery -> Battery Life	7.0 hours (15 hours with optional long life batteries) – MobileMark 25
Power Consumption	Approx. 45 W* / Approx. 110W (maximum when recharging in the ON state)
Power (Power supply) -> AC adapter	Input: 100 V - 240 V AC, 50 Hz/ 60 Hz, Output: 15.6 V DC, 7.05 A
Power (Power supply) -> Battery (Battery pack)	Battery pack(S), Li-ion 11.1V, 1,990 mAh x 2,Battery pack(L), Li-ion 10.8V, 4,120 mAh x 2 (Option)
Power (Power supply) -> Hot Swap	Yes
Durability -> Drop resistance	120 cm{4.0 feet}**
Operating temperature	-10 °C to 50 °C {14 °F to 122 °F } (IEC60068-2-1, 2)***
Storage temperature	- 20 °C to 60 °C {-4 °F to 140 °F}
Warranty	3-year limited warranty, parts and labor
Footnote Description	* Rated power consumption ** 26 sided/drop on plywood. *** Do not expose the skin to this product when using the product in a hot or cold environment. When using in hot or cold environment, some peripherals may fail to work properly. Check the operation environment of the peripherals. Using this product continuously in a hot environment will shorten the product life. Avoid use in these types of environments. When using in low temperature environment, startup may become slov or battery operation time may become short. The computer consumes power when the SSD is warming up during startup. Therefore, if you are using battery power and the
	remaining power is low, the computer may not start up. **** Tested by an independent third-party lab following MIL-STD-461F