



ET-D3LEF70 (for 3-Chip DLP™ Projectors)

Fisheye lens for 3-Chip DLP projectors perfect for dome and planetarium projection

Key Features

Compatible with high-brightness 3-chip DLP projectors up to 30,000 lm brightness

Supports WQXGA (4K+) ultra-high-resolution image projection

Installation flexibility is supported by wide lens-shift (vertical: up to \pm 37 %, horizontal: up to \pm 17 %).

Adapted for dome-theater applications in planetariums, video domes at exhibitions, or theme-park attractions











ET-D3LEF70 (for 3-Chip DLP™ Projectors)

https://ap.connect.panasonic.com/sg /en/et-d3lef70for-3-chip-dlptmprojectors

| F-number | 2.5 |
|-------------------------------|--|
| Focal length (f) | 9 mm (0.35") |
| Lens-shift -> Vertical | ± 37 % |
| Lens-shift -> Horizontal | 17 % for WQXGA (4K+) models |
| Maximum half-angle | 91.6° (Maximum lens shift diagonal) |
| Focus adjustment function | 0 |
| Optical masking | 0 |
| Supported projection distance | 2.0 m (78.7") to ∞ |
| Dimensions -> (W) | 529 mm (20-13/16") |
| Dimensions -> (H) | 150 mm (5-29/32") |
| Dimensions -> (D) | 154 mm (6-1/16") |
| Weight | Approx. 7.1 kg (15.7 lbs.)*1 |
| Applicable projectors *2 | RQ35K Series/RQ32K/RZ31K Series/RQ22K/RZ21K Series/RZ16K/RQ13K/RZ12K |
| | Series/DZ21K2 Series/DZ13K Series |
| Lens ID | Compatible models: PT-RQ32K / PT-RZ31K / PT-RS30K / PT-RQ22K / PT-RZ21K / PT-RS20k |
| Footnote Description | * Average value. May differ depending on the actual unit. |