



**The Panasonic arc welding robot cell PERFORMARC TT (Table-Table) is of a modular concept, developed using standard reliable Panasonic components.**

## **PERFORMARC TT-2PD-500**

The Panasonic standard cell is also available in the following specifications: PERFORMARC TT  
PERFORMARC TT-2PD-150  
PERFORMARC TT-2PD-250 (with 2 external axes PanaDice)  
PERFORMARC TT-2PD-500 (with 2 external axes PanaDice)  
PERFORMARC TT-2DK-300 (with 2 tilt and turn positioners)  
PERFORMARC TT-2DK-500 (with 2 tilt and turn positioners)

### **Key Features**

---

Modular concept

---

Using standard reliable Panasonic components

---

With 2 external axes PanaDice

PERFORMARC TT-  
2PD-500

<https://ap.connect.panasonic.com/vn/en/performarc-tt-2pd-500>

<b>Measurements (L x W x H)</b>	240 x 430 x 230cm
<b>Mass (Weight)</b>	4500kg
<b>Recommended robot type</b>	TM-1800 / TL-1800
<b>Work Table</b>	-
<b>Fixture Area (mm)</b>	800 x 1250mm
<b>Max. Work Piece (mm)</b>	800 x 1000mm
<b>Payload (each table) (kg)</b>	600kg

